


NOTES THIS DETAIL:


1. ALL LETTERING & ARTWORK SHALL BE FLUSH WITH FRAME RIM/LIP MOLDED INTO THE TOP OF THE COVER.
2. FRAME & COVER SHALL BE GRAY IRON CONFORMING TO A.S.T.M. A48-90, GRADE 30.
3. FIT TOLERANCES SHALL BE $< 1/8"$ ±.
4. WELDED FRAME & COVERS ARE NOT ACCEPTABLE.
5. ALL FRAME & COVERS SET ON MANHOLES IN DEPRESSION AREAS SUBJECTED TO STORM WATER PONDING AND/OR RUNOFF SHALL BE WATERTIGHT AND INSTALLED WITH RAINGUARD® INFLOW PAN OR APPROVED EQUIVALENT.
6. INSTALLATION OF FRAME & COVERS WITHIN CURB & GUTTER, VALLEY GUTTERS, OR SWALES ARE NOT ACCEPTABLE.




PRIVATE SEWER COVER




PUBLIC SEWER COVER




PUBLIC STORMWATER COVER




BOTTOM OF COVER



COVER SECTION VIEW



FRAME SECTION VIEW



FRAME



CITY OF COEUR D'ALENE STANDARD DRAWING

MANHOLE FRAME AND COVER

APPROVED BY:

Chris Bosley
CITY ENGINEER, PE 10804

10/1/24
DATE:

DWG NO.

SS-5